VOLUME 49 · SUBJECT INDEX

A

Acute psychiatric beds, Ethnicity and mental health: findings from a recent census of acute psychiatric beds in North and South Thames Health Regions, **543** *abst*

Admission, UK study of urgent admission to hospital: basis for a charter standard? **547** *abst*

Adolescents, Aids and infection with HIV among UK adolescents, **537** *abst*

Aggregated data, Disease risk near point sources: statistical issues for analyses using individual or spatially aggregated data, Suppl.2.20

AIDS, Aids and infection with HIV among UK adolescents, **537** *abst*

Air pollution, Socioeconomic conditions in the Po Delta prospective study on chronic obstructive pulmonary disease and the possible respiratory effects of low levels of air pollution, Suppl.2.78

Air quality goals, Tropospheric ozone: respiratory effects and Australian air quality goals, **401**

Alcohol, Effects of socioeconomic and psychological factors, smoking, alcohol, and caffeine on preterm birth, **549** *abst*

Alcohol consumption

Alcohol consumption, diet, coronary risk factors, and prevalent coronary heart disease in men and women in the Scottish heart health study, **354**

Alcohol consumption and obesity in the adult population of Spain, **108**

Alcohol drinkers, Improving hypertension control among excessive alcohol drinkers: a randomised controlled trial in France, **610**

Alkylating agents, Radiotherapy, alkylating agents and the risk of bone cancer after childhood cancer, **548** *abst*

Aluminium, Alzheimer's disease and the relationship between silicon and aluminium in water supplies in northern England, **323**

Alzheimer type dementia, Risk factors in clinically diagnosed presenile dementia of the Alzheimer type: a case-control study in northern England, **253**

Alzheimer's disease, Alzheimer's disease and the relationship between silicon and aluminium in water supplies in northern England, **323**

Amblyopia, Children's vision screening: impact on inequalities in central England, **606**

Angina

Invasive management of angina: issues for consumers and commissioners: *review article*, **335**

Prevalence of Rose angina among women living in Britain, **553** *abst*

Annual public health reports, What impact do annual public health reports have? **539** *abst*

Anxiety, Does routine screening for breast cancer raise anxiety? Results from a three wave prospective study in England, **413**

Appendicectomy, Emergency appendicectomy and meat consumption in the UK, **594**

Asians, Childhood cancer in Muslim and non-Muslim Asians: is parental consanguinity responsible? **548** *abst*

Aspirin, Aspirin in the prevention of cardiovascular disease: are opportunities being missed? **545** *abst*

Asthma

Asthma and factory emissions in northern England: addressing public concern by combining geographical and epidemiological methods, **395**

Asthma history and sociodemographic characteristics in elderly French people, **324**

Does ethnicity influence the patterns of asthma treatment in children? **543** *abst*

Prevalence of asthma and related factors in primary school children in an industrial part of England, **326**

Ataxia, Seasonal ataxia in western Nigeria: evaluation of the impact of health education on hospital prevalence, **489**

Atopy, Atopy: a predisposing factor for chronic bronchitis in Finland, **296**

Audit

Clinical audit: more research is required: *editorial*, **445**

Mammography screening: an incremental cost effectiveness analysis of two view versus one view procedures in London, **70**

Medical audit in The Netherlands: experience over 22 years: *editorial*, **557**

The audit cycle – myth or reality? **538** *abst*

Australia

Cardiovascular risk factors in Australia: trends in socioeconomic inequalities, **363**

Tropospheric ozone: respiratory effects and Australian air quality goals, **401**

Austria, Self reported prevalence and treatment of sleep disorders in Austria, **645**

B

Behavioural factors, Size at birth and blood pressure and fasting glucose at age 50 – how important is confounding by sociodemographic and behavioural factors? **544** *abst*

Belgrade, Insulin dependent diabetes mellitus: incidence in childhood in Belgrade 1982–92, **107**

Benign prostatic hyperplasia, Mortality from benign prostatic hyperplasia: worldwide trends 1950–92, **379**

Benzene, Apparent association between benzene and childhood leukaemia: methodological doubts concerning a report by Knox, **437**: response, **439**

Bhopal, Bhopal: morbidity 10 years after the gas leak. An epidemiological study, **536** *abst*

Birmingham, Birth prevalence of malformations in members of different ethnic groups and in the offspring of matings between them, in Birmingham, England, **171**: corrigendum, **443**

Birth place and season, Schizophrenia: increased risk associated with winter and city birth – a case-control study in 12 regions within England and Wales, **106**

Birth season, Seasonality of births: changing pattern correlated with the seasonality of marriage: *correspondence*, **110**

Birth weight

Birth weight and special educational needs: effects of an increase in the survival of very low birthweight infants in London, **33**

Influence of birth weight and maternal smoking during pregnancy on blood pressure in children, **544** *abst*

Size at birth and blood pressure and fasting glucose at age 50 – how important is confounding by sociodemographic and behavioural factors? **544** *abst*

Blood pressure

Body mass index and cardiovascular mortality at different levels of blood pressure: a prospective study of Norwegian men and women, **265**

Influence of birth weight and maternal smoking during pregnancy on blood pressure in children, **544** *abst*

Size at birth and blood pressure and fasting glucose at age 50 – how important is confounding by sociodemographic and behavioural factors? **544** *abst*

Body fat, Body fat and stroke: unmasking the hazards of overweight and obesity, **259**

Body mass index, Body mass index and cardiovascular mortality at different levels of blood pressure: a prospective study of Norwegian men and women, **265**

Bone cancer, Radiotherapy, alkylating agents and the risk of bone cancer after childhood cancer, **548** *abst*

Bone mineral content, Physical activity, calcium intake, and bone mineral content in children in The Netherlands, **299**

Book reviews

Brannen J, Dodd K, Oakley A. Young people, health and family life, **332**

Hobbs BC, Roberts D. Food poisoning and food hygiene, **332**

Khan M, Landes R. The role of the public health nurse: a review of the international literature, **332**

Majumder PP, *editor*. Human population genetics: a centennial tribute to JBS Haldane, **332**

Norgan NG, *editor*. Physical activity and health. Society for the Study of Human Biology Symposium 34, **331**

Ostrow DG, Kessler RC, *editors*. Methodological issues in AIDS behavioural research, **332**

Porter JDH, McAdam KPWJ, *editors*. Tuberculosis: back to the future, **332**
Breast cancer
Do general practitioners influence the uptake of breast cancer screening? **535** *abst*
Does routine screening for breast cancer raise anxiety? Results from a three wave prospective study in England, **413**
The effects of screening on breast cancer incidence and mortality, **534** *abst*
Breast milk, Organochlorine residues in human breast milk: analysis through a sentinel practice network, Suppl.1.17
British children, Factors associated with weight for height and skinfold thickness in British children, **466**
Bromley, Local NHS health care purchasing and prioritising from the perspective of Bromley residents – a qualitative study, **539** *abst*
Burns, Risk factors for childhood burns: a case-control study of Ghanaian children, **189**

C
Caffeine, Effects of socioeconomic and psychological factors, smoking, alcohol, and caffeine on preterm birth, **549** *abst*
Calcium intake, Physical activity, calcium intake, and bone mineral content in children in The Netherlands, **299**
Canada
Coeur en santé St-Henri – a heart health promotion programme in a low income, low education neighbourhood in Montreal, Canada: theoretical model and early field experience, **503**
Coeur en santé St-Henri – a heart health promotion programme in Montreal, Canada: design and methods for evaluation, **495**
Cancer
Cancer incidence and deprivation in Scotland, Suppl.2.79
Cancer in the offspring of survivors of childhood leukaemia and non-Hodgkin lymphomas, **548** *abst*
Cancer survival and deprivation in Scotland, Suppl.2.79
Childhood cancer in Muslim and non-Muslim Asians: is parental consanguinity responsible? **548** *abst*
Childhood cancers: space-time distribution in Britain, **158**
Radiotherapy, alkylating agents and the risk of bone cancer after childhood cancer, **548** *abst*
Cancer registration
Establishing baseline data in cancer registration in northern England: implications for Health of the Nation targets, **150**
Estimating completeness of cancer registration: an empirical evaluation of the two source capture-recapture approach in Germany, **426**
Cardiopulmonary resuscitation, Life support training in the first year of secondary schoo', **537** *abst*
Cardiovascular disease
Aspirin in the prevention of cardiovascular disease: are opportunities being missed? **545** *abst*
Childhood socioeconomic status and risk of cardiovascular disease in middle aged US women, **10**
Cardiovascular mortality
Body mass index and cardiovascular mortality at different levels of blood pressure: a prospective study of Norwegian men and women, **265**
Social mobility, health, and cardiovascular mortality, **552** *abst*
Cardiovascular risk factors
Cardiovascular risk factors in Australia: trends in socioeconomic inequalities, **363**
Cardiovascular risk factors in British children in towns with widely differing adult cardiovascular mortality rates, **544** *abst*
Does socioeconomic status in childhood affect cardiovascular risk in adulthood? **544** *abst*
Carstairs scores, Measuring disadvantage: changes in the underprivileged area, Townsend, and Carstairs scores 1981–91, Suppl.2.30
Casemix measurement, Casemix measurement in the NHS internal market – an evaluation of available approaches, **539** *abst*
Cash versus care provision, Disability: use of an independent living fund in south east London and users' views about the system of cash versus care provision, **43**
Census
Identifying deprived areas using indices from the 1991 census and information about the recipients of community charge and council tax benefit, Suppl.2.65
Interpreting the new illness question in the UK census for health research on small areas, **634**
Census based deprivation indices, Census based deprivation indices: their weighting and validation, Suppl.2.39
Cervical cancer, Cervical cancer: incidence and survival in migrants within Spain, **153**
Cervical screening, Costs and remuneration for cervical screening in general practice: are practices in deprived areas penalised? **535** *abst*
Cervical smear test, Emotional reactions in women attending a UK colposcopy clinic, **79**
Chest *x* ray, Tuberculosis among the homeless at a temporary shelter in London: report of a chest *x* ray screening programme, **629**
Childhood cancer
Childhood cancer in Muslim and non-Muslim Asians: is parental consanguinity responsible? **548** *abst*
Childhood cancers: space-time distribution in Britain, **158**
Radiotherapy, alkylating agents and the risk of bone cancer after childhood cancer, **548** *abst*
Childhood disabilities, The ten questions screen for childhood disabilities: its uses and limitations in Pakistan, **431**
Childhood leukaemia
Apparent association between benzene and childhood leukaemia: methodological doubts concerning a report by Knox, **437**: response, **439**
Cancer in the offspring of survivors of childhood leukaemia and non-Hodgkin lymphomas, **548** *abst*
Childhood socioeconomic status, Childhood socioeconomic status and risk of cardiovascular disease in middle aged US women, **10**
Children
Child pedestrian deaths: sensitivity to traffic volume – evidence from the USA, **186**
Children with low birth weight and low gestational age in Oslo, Norway: immigration is not the cause of increasing proportions, **588**
Children's vision screening: impact on inequalities in central England, **606**
Does socioeconomic status in childhood affect cardiovascular risk in adulthood? **544** *abst*
Factors associated with weight for height and skinfold thickness in British children, **466**
General practice consultation in childhood in The Netherlands: sociodemographic variation, **532**
Influence of birth weight and maternal smoking during pregnancy on blood pressure in children, **544** *abst*
Physical fitness of 9 year olds in England: related factors, **180**
Risk factors for childhood burns: a case-control study of Ghanaian children, **189**
Chronic bronchitis, Atopy: a predisposing factor for chronic bronchitis in Finland, **296**
Chronic obstructive pulmonary disease, Socioeconomic conditions in the Po Delta prospective study on chronic obstructive pulmonary disease and the possible respiratory effects of low levels of air pollution, Suppl.2.78
Civil servants, Work characteristics and psychiatric disorder in civil servants in London, **48**
Clinical audit, Clinical audit: more research is required: *editorial*, **445**
Cocaine, Opiates or cocaine: mortality from acute reactions in six major Spanish cities, **54**
Coeur en santé St-Henri
Coeur en santé St-Henri – a heart health promotion programme in a low income, low education neighbourhood in Montreal, Canada: theoretical model and early field experience, **503**
Coeur en santé St-Henri – a heart health promotion programme in Montreal, Canada: design and methods for evaluation, **495**
Colic, The social origins of infantile colic: risk factors identified in the Sheffield child development study, **549** *abst*
Colorectal cancer, Screening for colorectal cancer: reasons for refusal of faecal occult blood testing in a general practice in England, **84**
Colposcopy, Emotional reactions in women attending a UK colposcopy clinic, **79**
Community charge benefit, Identifying deprived areas using indices from the 1991 census and information about the recipients of community charge and council tax benefit, Suppl.2.65
Computerised prescribing records, Hormone replacement therapy: characteristics of users and non-users in a British general practice cohort identified through computerised prescribing records, **389**

Computing
Can general practice provide useful information? – evaluation of a primary health care information project in northern England, **227**
Rotterdam general practitioners report (ROHAPRO): a computerised network of general practices in Rotterdam, The Netherlands, **231**
Condom machines, Condom machines in hospitals: do we practice what we preach? *correspondence*, **111**
Congenital malformations, Birth prevalence of malformations in members of different ethnic groups and in the offspring of matings between them, in Birmingham, England, **171**: corrigendum, **443**
Coronary artery bypass graft
Assessing equity in access to health care provision in the UK: does where you live affect your chances of getting a coronary artery bypass graft? **200**
Invasive management of angina: issues for consumers and commissioners: *review article*, **335**
More equals better? The relationship between volume and outcome in coronary arrtery bypass graft surgery, **554** *abst*
Coronary heart disease
Alcohol consumption, diet, coronary risk factors, and prevalent coronary heart disease in men and women in the Scottish heart health study, **354**
Passive smoking by self report and serum cotinine and the prevalence of respiratory and coronary heart disease in the Scottish heart health study, **139**
Seasonal variation in coronary heart disease in Scotland, **575**
Coronary revascularisation
Coronary revascularisation: why do rates vary geographically in the UK? **408**
Why do rates of coronary revascularisation vary geographically in the UK? **553** *abst*
Coronary risk, Past or present *Helicobacter pylori* infection and fibrinogen – a possible link between social class and coronary risk? **545** *abst*
Coronary risk factors
Alcohol consumption, diet, coronary risk factors, and prevalent coronary heart disease in men and women in the Scottish heart health study, **354**
Coronary risk factor levels: Differences between educational groups in 1972–87 in eastern Finland, **144**
Corrigendum, **224**, **443**
Cost effectiveness, Hepatitis B vaccination: the cost effectiveness of alternative strategies in England and Wales, **238**
Costs
Costs and remuneration for cervical screening in general practice: are practices in deprived areas penalised? **535** *abst*
Method for estimating baseline health care costs, **525**
Variations in general practice prescribing costs, **546** *abst*
Cotinine, Passive smoking by self report and serum cotinine and the prevalence of respiratory and coronary heart disease in the Scottish heart health study, **139**
Cots, Neonatal intensive care cots: estimating the population based requirement in Trent, UK, **617**
Cough, The relationship between the treatment of cough during early infancy and the mothers' educational qualifications, **550** *abst*
Council tax benefit, Identifying deprived areas using indices from the 1991 census and information about the recipients of community charge and council tax benefit, Suppl.2.65

D
Day surgery, Fastrak – the evaluation of an innovative approach to day surgery, **547** *abst*
Death rates, Components of small area variation in death rates: a method applied to data from Sweden, **214**
Denmark, Social network and lifestyle in Danish adults, **327**
Denominator estimation, Denominator estimation: approaches in the Hamburg paediatric sentinel network, Suppl.1.26
Deprivation
Cancer incidence and deprivation in Scotland, Suppl.2.79
Cancer survival and deprivation in Scotland, Suppl.2.79
Deprivation and mortality in Yorkshire: changes from 1981–91, Suppl.2.79
Limiting long term illness and its associations with mortality and indicators of social deprivation, Suppl.2.57
Single measures of deprivation, Suppl.2.51
Whose deprivation? Suppl.2.80
Deprivation indices
Census based deprivation indices: their weighting and validation, Suppl.2.39
Deprivation indices: their interpretation and use in relation to health, Suppl.2.3
Identifying deprived areas using indices from the 1991 census and information about the recipients of community charge and council tax benefit, Suppl.2.65
Importance of normalisation in the construction of deprivation indices, Suppl.2.45
Is enumeration district level an improvement on ward level analysis in studies of deprivation and health?, Suppl.2.28
Measuring disadvantage: changes in the underprivileged area, Townsend, and Carstairs scores 1981–91, Suppl.2.30
Smoking behaviour can be predicted by neighbourhood deprivation measures, Suppl.2.72
Stability of deprivation indices in five north London electoral wards, Suppl.2.78
Standardisation approach to the control of socioeconomic confounding in small area studies of environment and health, Suppl.2.9
Use of deprivation indices in small area studies of environment and health, Suppl.2.1–88: foreword, Suppl.2.2: general discussion, Suppl.2.81
Deprivation related differentials, Deprivation related differentials in mortality and hospital admission ratios, Suppl.2.79
Deprived areas
Higher mortality in deprived areas: community or personal disadvantage? Suppl.2.78
Identifying deprived areas using indices from the 1991 census and information about the recipients of community charge and council tax benefit, Suppl.2.65
Diabetes mellitus
Insulin dependent diabetes mellitus: incidence in childhood in Belgrade 1982–92, **107**
Insulin treated diabetes mellitus: causes of death determined from record linkage of population based registers in Leicestershire, UK, **570**
Social inequalities in health status and care practices among patients with diabetes mellitus in Trinidad and Tobago, **536** *abst*
Validating long term morbidity recording, Suppl.1.29
Diet, Alcohol consumption, diet, coronary risk factors, and prevalent coronary heart disease in men and women in the Scottish heart health study, **354**
Disability
Disability: use of an independent living fund in south east London and users' views about the system of cash versus care provision, **43**
The ten questions screen for childhood disabilities: its uses and limitations in Pakistan, **431**
Disadvantage, Measuring disadvantage: changes in the underprivileged area, Townsend, and Carstairs scores 1981–91, Suppl.2.30
Disease risk, Disease risk near point sources: statistical issues for analyses using individual or spatially aggregated data, Suppl.2.20
Distal forearm fracture, Fall frequency and incidence of distal forearm fracture in the UK, **597**
Down's syndrome, Down's syndrome: prevalence and ionising radiation in an area of north west England 1957–91, **164**
Drug users, Questioning the assumption that all injecting drug users share needles and syringes, **537** *abst*
Duncan memorial lecture, Public participation in health care quality, **348**

E
Educational groups, Coronary risk factor levels: Differences between educational groups in 1972–87 in eastern Finland, **144**
Educational qualifications, The relationship between the treatment of cough during early infancy and the mothers' educational qualifications, **550** *abst*
Elderly, Influenza mortality among the elderly in France, 1980–90: how many deaths may have been avoided through vaccination? **419**
Electronic publication, Electronic publication and submission of papers by floppy disk or email begin, **1**
Emergency hospital admission, The hospital admissions study in England: are there alternatives to emergency hospital admission? **194**

Employment status, Variations in general practitioner utilisation with occupational class and employment status, **546** *abst*
Endometriosis, Pelvic endometriosis: reproductive and menstrual risk factors at different stages in Lombardy, northern Italy, **61**
England
Are towns in England and Wales less healthy? **541** *abst*
Asthma and factory emissions in northern England: addressing public concern by combining geographical and epidemiological methods, **395**
Down's syndrome: prevalence and ionising radiation in an area of north west England 1957–91, **164**
Explaining male mortality differentials between the west of Scotland and the south of England, **541** *abst*
Screening for colorectal cancer: reasons for refusal of faecal occult blood testing in a general practice in England, **84**
Enumeration district level, Is enumeration district level an improvement on ward level analysis in studies of deprivation and health? Suppl.2.28
Environment
Use of deprivation indices in small area studies of environment and health, Suppl.2.1–88: foreword, Suppl.2.2: general discussion, Suppl.2.81
Workplace health or worker health – health effects of the physical environment in offices, **550** *abst*
Epidemiology, Epidemiology and the Iralian national health service: *comment*, **558**
Equity, Assessing equity in access to health care provision in the UK: does where you live affect your chances of getting a coronary artery bypass graft? **200**
Ethnic studies, Birth prevalence of malformations in members of different ethnic groups and in the offspring of matings between them, in Birmingham, England, **171**: corrigendum, **443**
Ethnicity
Does ethnicity influence the patterns of asthma treatment in children? **543** *abst*
Ethnicity, race, health, and research: black box, junk, or enlightened epidemiology? **534** *abst*
Ethnicity and mental health: findings from a recent census of acute psychiatric beds in North and South Thames Health Regions, **543** *abst*
Racial discrimination in medicine: a blot on the profession, **543** *abst*
European Community study, European Community study of "avoidable" mortality 1980–89, **541** *abst*
Exercise, Randomised controlled trials of physical activity promotion in free living populations: *review article*, **448**

F
Factory emissions, Asthma and factory emissions in northern England: addressing public concern by combining geographical and epidemiological methods, **395**
Faecal occult blood testing, Screening for colorectal cancer: reasons for refusal of faecal occult blood testing in a general practice in England, **84**
Fall frequency, Fall frequency and incidence of distal forearm fracture in the UK, **597**
Family credit families, Family credit families and uptake of school meals in primary school, **541** *abst*
Family health service authorities
Growth and relative stability of the proportion permanently sick in English family health service authorities, 1981–91, **222**
Population estimates from patient registers held by British family health services authorities, **440**
The use of family health services authority registers as a sampling frame in the UK: a review of theory and practice, **344**
Famine, Infant mortality and famine: a study in historical epidemiology in northern England, **245**
Fastrak, Fastrak – the evaluation of an innovative approach to day surgery, **547** *abst*
Fibrinogen, Past or present *Helicobacter pylori* infection and fibrinogen – a possible link between social class and coronary risk? **545** *abst*
Finland, Atopy: a predisposing factor for chronic bronchitis in Finland, **296**
Fracture, Fall frequency and incidence of distal forearm fracture in the UK, **597**
France
Asthma history and sociodemographic characteristics in elderly French people, **324**
Improving hypertension control among excessive alcohol drinkers: a randomised controlled trial in France, **610**
Influenza mortality among the elderly in France, 1980–90: how many deaths may have been avoided through vaccination? **419**
Fundholding practices, Trends in referral and prescribing patterns in fundholding and non-fundholding practices in the Oxford region, 1990–94, **534** *abst*
Further education, Health status: does it predict choice in further education? **131**
Future illness, Are young unemployed men at greater risk of future illness, even before they experience any unemployment? **552** *abst*

G
Gas leak, Bhopal: morbidity 10 years after the gas leak. An epidemiological study, **536** *abst*
GB Profiles, Geodemographic segmentation systems for screening health data, Suppl.2.34
Gender differences
Gender differences in health: are things really as simple as they seem?, **534** *abst*
Sex and socioeconomic differences in medical care for ischaemic heart disease, **553** *abst*
What is the impact of taking account of occupational grade on gender differences in health? **550** *abst*
General practice
Assessing the outcome of making it easier to change GP: an analysis of the characteristics of those practices which people move from and to, **535** *abst*
Can general practice provide useful information? – evaluation of a primary health care information project in northern England, **227**
Consulting the general practitioner for symptoms of minor illness: why are women more likely to consult? **546** *abst*
Costs and remuneration for cervical screening in general practice: are practices in deprived areas penalised? **535** *abst*
Could GPs do more to prevent suicide? **551** *abst*
Do general practitioners influence the uptake of breast cancer screening? **535** *abst*
Effects of the German 1993 health reform law upon primary care practitioners' individual performance: results from an empirical study in sentinel practices, Suppl.1.33
General practice consultation in childhood in The Netherlands: sociodemographic variation, **532**
General practice data retrieval: the Northern Ireland project, Suppl.1.22
Public health medicine and primary health care: convergent, divergent, or parallel paths? *editorial*, **113**
Rotterdam general practitioners report (ROHAPRO): a computerised network of general practices in Rotterdam, The Netherlands, **231**
Socioeconomic variations in GP consultations among older people, **546** *abst*
Variations in general practice prescribing costs, **546** *abst*
Variations in general practitioner utilisation with occupational class and employment status, **546** *abst*
Geodemographic segmentation systems, Geodemographic segmentation systems for screening health data, Suppl.2.34
Geographical areas, Assessing equity in access to health care provision in the UK: does where you live affect your chances of getting a coronary artery bypass graft? **200**
Geographical clustering, Apparent association between benzene and childhood leukaemia: methodological doubts concerning a report by Knox, **437**: response, **439**
Germany
Denominator estimation: approaches in the Hamburg paediatric sentinel network, Suppl.1.26
Effects of the German 1993 health reform law upon primary care practitioners' individual performance: results from an empirical study in sentinel practices, Suppl.1.33
Estimating completeness of cancer registration: an empirical evaluation of the two source capture-recapture approach in Germany, **426**
Influenza surveillance: experiences from establishing a sentinel surveillance system in Germany, Suppl.1.9
Ghana, Risk factors for childhood burns: a case-control study of Ghanaian children, **189**
Glucose, Size at birth and blood pressure and fasting glucose at age 50 – how important is confounding by sociodemographic and behavioural factors? **544** *abst*

Glue ear, Surgery for glue ear: the English epidemic wanes, **234**
Gonorrhoea, Estimating the sexual mixing patterns in the general population from those in people acquiring gonorrhoea infection: theoretical foundation and empirical findings, **205**

H
Haemophilia, Mortality in the entire UK haemophilia population before and after HIV infection, **536** *abst*
Health, Use of deprivation indices in small area studies of environment and health, Suppl.2.1–88: foreword, Suppl.2.2: general discussion, Suppl.2.81
Health behaviours, Health behaviours explain part of the differences in self reported health associated with partner/marital status in The Netherlands, **482**
Health care
A method for estimating baseline health care costs, **525**
Public participation in health care quality: Duncan memorial lecture, **348**
Health care provision, Assessing equity in access to health care provision in the UK: does where you live affect your chances of getting a coronary artery bypass graft?, **200**
Health data, Geodemographic segmentation systems for screening health data, Suppl.2.34
Health expectancy, Health expectancy: an indicator for change? *correspondence*, **330**
Health of the Nation targets, Establishing baseline data in cancer registration in northern England: implications for Health of the Nation targets, **150**
Health promotion
Health promotion: shades of Lewis Carroll: *editorial*, **1**
Smoking and health promotion in Nazi Germany: *correspondence*, **555**
Health reform law, Effects of the German 1993 health reform law upon primary care practitioners' individual performance: results from an empirical study in sentinel practices, Suppl.1.33
Health research, Interpreting the new illness question in the UK census for health research on small areas, **634**
Health status
Evidence for the sensitivity of the short form-36 health status measure to inequalities in health, **542** *abst*
Health status: does it predict choice in further education?, **131**
Short form 36 health status questionnaire: clues from the Oxford region's normative data about its usefulness in measuring health gain in population surveys, **102**: *correspondence*, **555**, **647**
Sickness absence as a measure of health status and functioning: from the UK Whitehall II study, **124**
Use of the short form-36 general health survey in an occupational cohort: age, sex and socioeconomic status differences, **542** *abst*
Heart health promotion programme
Coeur en santé St-Henri – a heart health promotion programme in a low income, low education neighbourhood in Montreal, Canada: theoretical model and early field experience, **503**
Coeure en santé St-Henri – a heart health promotion programme in Montreal, Canada: design and methods for evaluation, **495**
Height, Adult height and mortality in London: early life, socioeconomic confounding, or shrinkage? **5**
Helicobacter pylori, Past or present *Helicobacter pylori* infection and fibrinogen – a possible link between social class and coronary risk? **545** *abst*
Hepatitis B, Hepatitis B vaccination: the cost effectiveness of alternative strategies in England and Wales, **238**
Hepatitis B virus infection, Prevalence of hepatitis B virus infection in Singapore men with sexually transmitted diseases and HIV infection, **309**
Heterogeneity, Investigation of heterogeneity among trials in meta-analysis: a preliminary review, **543** *abst*
HIV infection
Aids and infection with HIV among UK adolescents, **537** *abst*
Mortality in the entire UK haemophilia population before and after HIV infection, **536** *abst*
Prevalence of hepatitis B virus infection in Singapore men with sexually transmitted diseases and HIV infection, **309**
Homeless, Tuberculosis among the homeless at a temporary shelter in London: report of a chest *x* ray screening programme, **629**
Homocysteine concentration, A prospective study of serum homocysteine concentration and risk of stroke in middle aged British men, **553** *abst*
Hong Kong
Ischaemic heart disease: trends in mortality in Hong Kong, 1970–89, **16**
Low back pain in Hong Kong: prevalence and characteristics compared with Britain, **492**
Hormone replacement therapy, Hormone replacement therapy: characteristics of users and non-users in a British general practice cohort identified through computerised prescribing records, **389**
Hospital admission
Deprivation related differentials in mortality and hospital admission ratios, Suppl.2.79
The hospital admissions study in England: are there alternatives to emergency hospital admission? **194**
UK study of urgent admission to hospital: basis for a charter standard? **547** *abst*
Housing costs, Ill health and housing costs: analysis of the British household panel survey, **550** *abst*
Hypertension
Improving hypertension control among excessive alcohol drinkers: a randomised controlled trial in France, **610**
Variation in reported prevalences of hypertension in The Netherlands: the impact of methodological variables, **277**

I
Immigrants, Perinatal mortality in a first generation immigrant population and its relation to unemployment in The Netherlands, **454**
Immigration, Children with low birth weight and low gestational age in Oslo, Norway: immigration is not the cause of increasing proportions, **588**
Independent living fund, Disability: use of an independent living fund in south east London and users' views about the system of cash versus care provision, **43**
Inequalities, The evidence for the effectiveness of NHS interventions to reduce inequalities in health, **538** *abst*
Infant mortality, Infant mortality and famine: a study in historical epidemiology in northern England, **245**
Infantile colic, The social origins of infantile colic: risk factors identified in the Sheffield child development study, **549** *abst*
Infectious disease, Infectious disease control in managed markets, **539** *abst*
Influenza
Influenza in Madrid, Spain, 1991–92: validity of the sentinel network, Suppl.1.14
Influenza mortality among the elderly in France, 1980–90: how many deaths may have been avoided through vaccination? **419**
Influenza surveillance: experiences from establishing a sentinel surveillance system in Germany, Suppl.1.9
Information technology
Can general practice provide useful information? – evaluation of a primary health care information project in northern England, **227**
Rotterdam general practitioners report (ROHAPRO): a computerised network of general practices in Rotterdam, The Netherlands, **231**
Injecting drug users, Questioning the assumption that all injecting drug users share needles and syringes, **537** *abst*
Injuries, Socioeconomic factors and injuries: *correspondence*, **331**
Insulin, Insulin treated diabetes mellitus: causes of death determined from record linkage of population based registers in Leicestershire, UK, **570**
Insulin dependent diabetes mellitus, Insulin dependent diabetes mellitus: incidence in childhood in Belgrade 1982–92, **107**
Intensive care cots, Neonatal intensive care cots: estimating the population based requirement in Trent, UK, **617**
International variation, International variation in socioeconomic inequalities in self reported health, **117**
Intervention, Is there too much intervention during labour? **549** *abst*
Intervention rates, International variation in intervention rates: what are the implications for patient selection? **548** *abst*
Ionising radiation, Down's syndrome: prevalence and ionising radiation in an area of north west England 1957–91, **164**
Ischaemic heart disease
Ischaemic heart disease mortality among men in Norway: reversal of urban-rural difference between 1966 and 1989, **271**

Ischaemic heart disease: trends in mortality in Hong Kong, 1970–89, **16**
Sex and socioeconomic differences in medical care for ischaemic heart disease, **553** *abst*
Italian national health service, Epidemiology and the Italian national health service: *comment*, **558**
Italy, Pelvic endometriosis: reproductive and menstrual risk factors at different stages in Lombardy, northern Italy, **61**

K
Knox study, Apparent association between benzene and childhood leukaemia: methodological doubts concerning a report by Knox, **437**: response, **439**

L
Labour, Is there too much intervention during labour? **549** *abst*
Leukaemia
Apparent association between benzene and childhood leukaemia: methodological doubts concerning a report by Knox, **437**: response, **439**
Cancer in the offspring of survivors of childhood leukaemia and non-Hodgkin lymphomas, **548** *abst*
Life support training, Life support training in the first year of secondary school, **537** *abst*
Lifestyle, Social network and lifestyle in Danish adults, **327**
Limb reduction defects, Limb reduction defects in the northern region of England 1985–92, **305**
Limiting long term illness, Limiting long term illness and its associations with mortality and indicators of social deprivation, Suppl.2.57
Lithuania, Avoidable mortality in Lithuania, **281**
London
Adult height and mortality in London: early life, socioeconomic confounding, or shrinkage? **5**
Disability: use of an independent living fund in south east London and users' views about the system of cash versus care provision, **43**
Work characteristics and psychiatric disorder in civil servants in London, **48**
Long term illness, Limiting long term illness and its associations with mortality and indicators of social deprivation, Suppl.2.57
Low back pain, Low back pain in Hong Kong: prevalence and characteristics compared with Britain, **492**
Low birth weight
Children with low birth weight and low gestational age in Oslo, Norway: immigration is not the cause of increasing proportions, **588**
Low birth weight in Spain associated with sociodemographic faetors, **38**
Low education, Coeur en santé St-Henri – a heart health promotion programme in a low income, low education neighbourhood in Montreal, Canada: theoretical model and early field experience, **503**
Low income, Coeur en santé St-Henri – a heart health promotion programme in a low income, low education neighbourhood in Montreal, Canada: theoretical model and early field experience, **503**
Low income countries, Health policy in low income countries: towards the millenium, **536** *abst*
Lung cancer
Does early respiratory environment influence lung cancer risk? Evidence from studies in the west of Scotland, **548** *abst*
Lung cancer: is there an association with socioeconomic status in The Netherlands? **65**

M
Mammography screening, Mammography screening: an incremental cost effectiveness analysis of two view versus one view procedures in London, **70**
Marital status, Health behaviours explain part of the differences in self reported health associated with partner/marital status in The Netherlands, **482**
Material conditions, Whose deprivation? Suppl.2.80
Measles, Measles, mumps, and rubella: monitoring in Switzerland through a sentinel network, 1986–94, Suppl.1.4
Meat consumption, Emergency appendicectomy and meat consumption in the UK, **594**
Medical audit, Medical audit in The Netherlands: experience over 22 years: *editorial*, **557**
Menstrual risk factors, Pelvic endometriosis: reproductive and menstrual risk factors at different stages in Lombardy, northern Italy, **61**
Meta-analysis, Investigation of heterogeneity among trials in meta-analysis: a preliminary review, **543** *abst*
Migraine headache, Validating long term morbidity recording, Suppl.1.29
Migrant studies, Cervical cancer: incidence and survival in migrants within Spain, **153**
Minor illness, Consulting the general practitioner for symptoms of minor illness: why are women more likely to consult? **546** *abst*
Monthly variations, Concurrence of monthly variations of mortality related to underlying cause in Europe, **373**
Morbidity surveillance
General practice data retrieval: the Northern Ireland project, Suppl.1.22
Influenza surveillance: experiences from establishing a sentinel surveillance system in Germany, Suppl.1.9
Sentinel practice networks for morbidity surveillance. Proceedings of the 2nd Hannover Sentinel Workshop, March 1994, Hannover, Germany, Suppl.1.1–36: foreword, Suppl.1.3
Validating long term morbidity recording, Suppl.1.29
Mortality
Adult height and mortality in London: early life, socioeconomic confounding, or shrinkage?, **5**
Are towns in England and Wales less healthy? **541** *abst*
Assesment of "avoidable" death, **542** *abst*
Avoidable mortality in Lithuania, **281**
Cardiovascular risk factors in British children in towns with widely differing adult cardiovascular mortality rates, **544** *abst*
Components of small area variation in death rates: a method applied to data from Sweden, **214**
Concurrence of monthly variations of mortality related to underlying cause in Europe, **373**
Death after acute myocardial infarction: how may league tables do you need? **554** *abst*
Deprivation and mortality in Yorkshire: changes from 1981–91, Suppl.2.79
Deprivation related differentials in mortality and hospital admission ratios, Suppl.2.79
Effects of screening on breast cancer incidence and mortality, **534** *abst*
European Community study of "avoidable" mortality 1980–89, **541** *abst*
Explaining male mortality differentials between the west of Scotland and the south of England, **541** *abst*
Higher mortality in deprived areas: community or personal disadvantage?, Suppl.2.78
Influenza mortality among the elderly in France, 1980–90: how many deaths may have been avoided through vaccination? **419**
Insulin treated diabetes mellitus: causes of death determined from record linkage of population based registers in Leicestershire, UK, **570**
Ischaemic heart disease: trends in mortality in Hong Kong, 1970–89, **16**
Limiting long term illness and its associations with mortality and indicators of social deprivation, Suppl.2.57
Mortality in the entire UK haemophilia population before and after HIV infection, **536** *abst*
Mortality from benign prostatic hyperplasia: worldwide trends 1950–92, **379**
Opiates or cocaine: mortality from acute reactions in six major Spanish cities, **54**
Perinatal mortality in a first generation immigrant population and its relation to unemployment in The Netherlands, **454**
Social mobility, health, and cardiovascular mortality, **552** *abst*
Socioeconomic factors and mortality in urban settings: the case of Barcelona, Spain, **460**
Stomach cancer mortality in Spain: a ecological analysis of diet, altitude, latitude, and income, **441**
Mothers' educational qualifications, The relationship between the treatment of cough during early infancy and the mothers' educational qualificastions, **550** *abst*
Motivational factors, Importance of motivational factors in health technology assessment: termination of pregnancy study, **540** *abst*

Multiple sclerosis, Multiple sclerosis: its epidemiological, genetic, and health care impact: *review article*, **563**
Mumps, Measles, mumps, and rubella: monitoring in Switzerland through a sentinel network, 1986–94, Suppl.1.4
Myocardial infarction
A multicentre randomised controlled trial of rehabilitation after myocardial infarction, **537** *abst*
Death after acute myocardial infarction: how may league tables do you need? **554** *abst*
Measuring quality of life in patients with myocardial infarction or stroke: a feasibility study of four questionnaires in The Netherlands, **513**
Stress, social support, and stopping smoking after myocardial infarction in England, **583**

N
Nazi Germany, Smoking and health promotion in Nazi Germany: *correspondence*, **555**
Needles, Questioning the assumption that all injecting drug users share needles and syringes, **537** *abst*
Neonatal intensive care cots, Neonatal intensive care cots: estimating the population based requirement in Trent, UK, **617**
Netherlands
Extreme obesity: sociodemographic, familial and behavioural correlates in The Netherlands, **22**
General practice consultation in childhood in The Netherlands: sociodemographic variation, **532**
Health behaviours explain part of the differences in self reported health associated with partner/marital status in The Netherlands, **482**
Lung cancer: is there an association with socioeconomic status in The Netherlands?, **65**
Measurement of social support in epidemiological research: the social experiences checklist tested in a general population in The Netherlands, **518**
Measuring quality of life in patients with myocardial infarction or stroke: a feasibility study of four questionnaires in The Netherlands, **513**
Medical audit in The Netherlands: experience over 22 years: *editorial*, **557**
Medically treated suicide attempts: a four year monitoring study of the epidemiology in The Netherlands, **285**
Perinatal mortality in a first generation immigrant population and its relation to unemployment in The Netherlands, **454**
Physical activity, calcium intake, and bone mineral content in children in The Netherlands, **299**
Variation in reported prevalences of hypertension in The Netherlands: the impact of methodological variables, **277**
New illness, Interpreting the new illness question in the UK census for health research on small areas, **634**
New Zealand, Sudden infant death syndrome in New Zealand: are risk scores useful, **94**
NHS internal market, Casemix measurement in the NHS internal market – an evaluation of available approaches, **539** *abst*
NHS interventions, The evidence for the effectiveness of NHS interventions to reduce inequalities in health, **538** *abst*
Nicotine patch, Which smokers are helped to give up smoking using the nicotine patch? **552** *abst*
Nigeria, Seasonal ataxia in western Nigeria: evaluation of the impact of health education on hospital prevalence, **489**
Non-fundholding practices, Trends in referral and prescribing patterns in fundholding and non-fundholding practices in the Oxford region, 1990–94, **534** *abst*
Non-Hodgkin lymphoma, Cancer in the offspring of survivors of childhood leukaemia and non-Hodgkin lymphomas, **548** *abst*
Normalisation, The importance of normalisation in the construction of deprivation indices, Suppl.2.45
Northern Ireland, General practice data retrieval: the Northern Ireland project, Suppl.1.22
Norway
Aetiology of peptic ulcer in Norway: *correspondence*, **224**
Body mass index and cardiovascular mortality at different levels of blood pressure: a prospective study of Norwegian men and women, **265**
Children with low birth weight and low gestational age in Oslo, Norway: immigration is not the cause of increasing proportions, **588**
Ischaemic heart disease mortality among men in Norway: reversal of urban-rural difference between 1966 and 1989, **271**
Notices, **111**, **224**, **331**, **443**, **556**, **647**

O
Obesity
Alcohol consumption and obesity in the adult population of Spain, **108**
Body fat and stroke: unmasking the hazards of overweight and obesity, **259**
Extreme obesity: sociodemographic, familial and behavioural correlates in The Netherlands, **22**
Factors associated with weight for height and skinfold thickness in British children, **466**
Occupational class, Variations in general practitioner utilisation with occupational class and employment status, **546** *abst*
Occupational grade, What is the impact of taking account of occupational grade on gender differences in health? **550** *abst*
Occupational groups, New methods of identifying occupational groups at increased risk using routinely collected data, **551** *abst*
Offices, Workplace health or worker health – health effects of the physical environment in offices, **550** *abst*
Older people, Socioeconomic variations in GP consultations among older people, **546** *abst*
Opiates, Opiates or cocaine: mortality from acute reactions in six major Spanish cities, **54**
Oral contraceptive users, The risk of serious disease among oral contraceptive users, **552** *abst*
Organochlorine residues, Organochlorine residues in human breast milk: analysis through a sentinel practice network, Suppl.1.17
Osteoporosis, Survey response rates: national and regional differences in a European multicentre study of vertebral osteoporosis, **87**
Outpatients, Outpatients revisited: subjective views and clinical decisions in the management of general surgical outpatients in south west England, **599**
Overweight, Body fat and stroke: unmasking the hazards of overweight and obesity, **259**
Oxford region
The short form 36 health status questionnaire: clues from the Oxford region's normative data about its usefulness in measuring health gain in population surveys, **102**: *correspondence*, **555**, **647**
Trends in referral and prescribing patterns in fundholding and non-fundholding practices in the Oxford region, 1990–94, **534** *abst*
Ozone, Tropospheric ozone: respiratory effects and Australian air quality goals, **401**

P
Pakistan, The ten questions screen for childhood disabilities: its uses and limitations in Pakistan, **431**
Parental consanguinity, Childhood cancer in Muslim and non-Muslim Asians: is parental consanguinity responsible? **548** *abst*
Partner/marital status, Health behaviours explain part of the differences in self reported health associated with partner/marital status in The Netherlands, **482**
Passive smoking, Passive smoking by self report and serum cotinine and the prevalence of respiratory and coronary heart disease in the Scottish heart health study, **139**
Pedestrian deaths, Child pedestrian deaths: sensitivity to traffic volume – evidence from the USA, **186**
Pelvic endometriosis, Pelvic endometriosis: reproductive and menstrual risk factors at different stages in Lombardy, northern Italy, **61**
Peptic ulcer, Aetiology of peptic ulcer in Norway: *correspondence*, **224**
Percutaneous transluminal coronary angioplasty, The invasive management of angina: issues for consumers and commissioners: *review article*, **335**
Perinatal mortality, Perinatal mortality in a first generation immigrant population and its relation to unemployment in The Netherlands, **454**
Permanently sick, Growth and relative stability of the proportion permanently sick in English family health service authorities, 1981–91, **222**
Physical activity
Physical activity, calcium intake, and bone mineral content in children in The Netherlands, **299**
Randomised controlled trials of physical activity promotion in free living populations: *review article*, **448**
Physical activity interventions, Modelling the effects of physical activity interventions, **547** *abst*

Physical fitness, Physical fitness of 9 year olds in England: related factors, **180**
Population estimates, Population estimates from patient registers held by British family health services authorities, **440**
Postcode units, Apparent association between benzene and childhood leukaemia: methodological doubts concerning a report by Knox, **437**: response, **439**
Potential years of life lost, Potential years of life lost: what is the denominator? **320**
Pregnancy
Importance of motivational factors in health technology assessment: termination of pregnancy study, **540** *abst*
Influence of birth weight and maternal smoking during pregnancy on blood pressure in children, **544** *abst*
Long term vascular sequelae of toxaemia of pregnancy, **545** *abst*
Pregnancy questionnaire, A time to pregnancy questionnaire designed for long term recall: validity in Oxford, England, **314**
Prescribing costs, Variations in general practice prescribing costs, **546** *abst*
Prescribing patterns, Trends in referral and prescribing patterns in fundholding and non-fundholding practices in the Oxford region, 1990–94, **534** *abst*
Presenile dementia, Risk factors in clinically diagnosed presenile dementia of the Alzheimer type: a case-control study in northern England, **253**
Preterm birth, Effects of socioeconomic and psychological factors, smoking, alcohol, and caffeine on preterm birth, **549** *abst*
Preventive health behaviour, Social class and preventive health behaviour: a British example, **28**
Primary health care, Public health medicine and primary health care: convergent, divergent, or parallel paths? *editorial*, **113**
Primary school children, Prevalence of asthma and related factors in primary school children in an industrial part of England, **326**
Prioritising, Local NHS health care purchasing and prioritising from the perspective of Bromley residents – a qualitative study, **539** *abst*
Prostate, Mortality from benign prostatic hyperplasia: worldwide trends 1950–92, **379**
Psychiatric beds, Ethnicity and mental health: findings from a recent census of acute psychiatric beds in North and South Thames Health Regions, **543** *abst*
Psychiatric disorder, Work characteristics and psychiatric disorder in civil servants in London, **48**
Psychiatric morbidity, Psychiatric morbidity: a multilevel approach to regional variations in the UK, **290**
Psychological factors, Effects of socioeconomic and psychological factors, smoking, alcohol, and caffeine on preterm birth, **549** *abst*
Public health epidemiology, Public health epidemiology: *editorial*, **333**
Public health medicine, Public health medicine and primary health care: convergent, divergent, or parallel paths? *editorial*, **113**
Public health professionals, The training and career development needs of public health professionals, **538** *abst*
Public health reports, What impact do annual public health reports have? **539** *abst*
Public participation, Public participation in health care quality: Duncan memorial lecture, **348**
Purchasing, Local NHS health care purchasing and prioritising from the perspective of Bromley residents – a qualitative study, **539** *abst*

Q

Quality, Public participation in health care quality: Duncan memorial lecture, **348**
Quality of life, Measuring quality of life in patients with myocardial infarction or stroke: a feasibility study of four questionnaires in The Netherlands, **513**
Questionnaires, Measuring quality of life in patients with myocardial infarction or stroke: a feasibility study of four questionnaires in The Netherlands, **513**

R

Race, Ethnicity, race, health, and research: black box, junk, or enlightened epidemiology? **534** *abst*
Racial discrimination, Racial discrimination in medicine: a blot on the profession, **543** *abst*
Radiation, Down's syndrome: prevalence and ionising radiation in an area of north west England 1957–91, **164**
Radiotherapy, Radiotherapy, alkylating agents and the risk of bone cancer after childhood cancer, **548** *abst*
Randomised controlled trials, Randomised controlled trials of physical activity promotion in free living populations: *review article*, **448**
Registers
Population estimates from patient registers held by British family health services authorities, **440**
The use of family health services authority registers as a sampling frame in the UK: a review of theory and practice, **344**
Regression methods, Controlling for socioeconomic confounding using regression methods, Suppl.2.15
Rehabilitation, A multicentre randomised controlled trial of rehabilitation after myocardial infarction, **537** *abst*
Reproductive risk factors, Pelvic endometriosis: reproductive and menstrual risk factors at different stages in Lombardy, northern Italy, **61**
Research
Ethnicity, race, health, and research: black box, junk, or enlightened epidemiology? **534** *abst*
Getting research into practice: *editorial*, **225**
Importance of motivational factors in health technology assessment: termination of pregnancy study, **540** *abst*
Respiratory disease, Passive smoking by self report and serum cotinine and the prevalence of respiratory and coronary heart disease in the Scottish heart health study, **139**
Respiratory environment, Does early respiratory environment influence lung cancer risk? Evidence from studies in the west of Scotland, **548** *abst*
Revascularisation
Coronary revascularisation: why do rates vary geographically in the UK?, **408**
Why do rates of coronary revascularisation vary geographically in the UK? **553** *abst*
Risk, Disease risk near point sources: statistical issues for analyses using individual or spatially aggregated data, Suppl.2.20
Risk factors
Cardiovascular risk factors in British children in towns with widely differing adult cardiovascular mortality rates, **544** *abst*
Change in prevalence of risk factors for sudden infant death syndrome between 1991 and 1995, **540** *abst*
Does socioeconomic status in childhood affect cardiovascular risk in adulthood? **544** *abst*
Past or present *Helicobacter pylori* infection and fibrinogen – a possible link between social class and coronary risk? **545** *abst*
Prospective study of serum homocysteine concentration and risk of stroke in middle aged British men, **553** *abst*
Risk factors for childhood burns: a case-control study of Ghanaian children, **189**
Risk factors in clinically diagnosed presenile dementia of the Alzheimer type: a case-control study in northern England, **253**
Risk of serious disease among oral contraceptive users, **552** *abst*
Social mobility, health, and cardiovascular mortality, **552** *abst*
Road traffic accidents, Child pedestrian deaths: sensitivity to traffic volume – evidence from the USA, **186**
Rose angina, Prevalence of Rose angina among women living in Britain, **553** *abst*
Rotterdam, Rotterdam general practitioners report (ROHAPRO): a computerised network of general practices in Rotterdam, The Netherlands, **231**
Rubella, Measles, mumps, and rubella: monitoring in Switzerland through a sentinel network, 1986–94, Suppl.1.4

S

Sample sizes, Sample sizes for studies using the short form 36 (SF-36), **642**
Schizophrenia, Schizophrenia: increased risk associated with winter and city birth – a case-control study in 12 regions within England and Wales, **106**
School meals, Family credit families and uptake of school meals in primary school, **541** *abst*
Scotland
Does early respiratory environment influence lung cancer risk? Evidence from studies in the west of Scotland, **548** *abst*
Explaining male mortality differentials between the west of Scotland and the south of England, **541** *abst*

Passive smoking by self report and serum cotinine and the prevalence of respiratory and coronary heart disease in the Scottish heart health study, **139**
Seasonal variation in coronary heart disease in Scotland, **575**
Scottish heart health study, Alcohol consumption, diet, coronary risk factors, and prevalent coronary heart disease in men and women in the Scottish heart health study, **354**
Screening
Children's vision screening: impact on inequalities in central England, **606**
Do general practitioners influence the uptake of breast cancer screening? **535** *abst*
Does routine screening for breast cancer raise anxiety? Results from a three wave prospective study in England, **413**
Effects of screening on breast cancer incidence and mortality, **534** *abst*
Geodemographic segmentation systems for screening health data, Suppl.2.34
Tuberculosis among the homeless at a temporary shelter in London: report of a chest *x* ray screening programme, **629**
Seasonal ataxia, Seasonal ataxia in western Nigeria: evaluation of the impact of health education on hospital prevalence, **489**
Seasonal variation, Seasonal variation in coronary heart disease in Scotland, **575**
Self reported health
International variation in socioeconomic inequalities in self reported health, **117**
Sickness absence as a measure of health status and functioning: from the UK Whitehall II study, **124**
Sentinel network
Denominator estimation: approaches in the Hamburg paediatric sentinel network, Suppl.1.26
Effects of the German 1993 health reform law upon primary care practitioners' individual performance: results from an empirical study in sentinel practices, Suppl.1.33
Influenza in Madrid, Spain, 1991–92: validity of the sentinel network, Suppl.1.14
Measles, mumps, and rubella: monitoring in Switzerland through a sentinel network, 1986–94, Suppl.1.4
Organochlorine residues in human breast milk: analysis through a sentinel practice network, Suppl.1.17
Sentinel practice networks for morbidity surveillance. Proceedings of the 2nd Hannover Sentinel Workshop, March 1994, Hannover, Germany, Suppl.1.1–36: foreword, Suppl.1.3
Sentinel surveillance, Influenza surveillance: experiences from establishing a sentinel surveillance system in Germany, Suppl.1.9
Sexual mixing patterns, Estimating the sexual mixing patterns in the general population from those in people acquiring gonorrhoea infection: theoretical foundation and empirical findings, **205**
Sexually transmitted diseases, Prevalence of hepatitis B virus infection in Singapore men with sexually transmitted diseases and HIV infection, **309**
Sheffield, The social origins of infantile colic: risk factors identified in the Sheffield child development study, **549** *abst*
Short form 36
Evidence for the sensitivity of the short form-36 health status measure to inequalities in health, **542** *abst*
Sample sizes for studies using the short form 36 (SF-36), **642**
The short form 36 health status questionnaire: clues from the Oxford region's normative data about its usefulness in measuring health gain in population surveys, **102**: *correspondence*, **555**, **647**
Use of the short form-36 general health survey in an occupational cohort: age, sex and socioeconomic status differences, **542** *abst*
Sick building syndrome, Workplace health or worker health – health effects of the physical environment in offices, **550** *abst*
Sickness absence
Sickness absence as a measure of health status and functioning: from the UK Whitehall II study, **124**
Sickness absence in the Whitehall II study, London: the role of social support and material problems, **474**
Silicon, Alzheimer's disease and the relationship between silicon and aluminium in water supplies in northern England, **323**
Singapore, Prevalence of hepatitis B virus infection in Singapore men with sexually transmitted diseases and HIV infection, **309**
Single measures, Single measures of deprivation, Suppl.2.51
Skinfold thickness, Factors associated with weight for height and skinfold thickness in British children, **466**
Sleep disorders, Self reported prevalence and treatment of sleep disorders in Austria, **645**
Small area studies
A standardisation approach to the control of socioeconomic confounding in small area studies of environment and health, Suppl.2.9
Interpreting the new illness question in the UK census for health research on small areas, **634**
Use of deprivation indices in small area studies of environment and health, Suppl.2.1–88: foreword, Suppl.2.2: general discussion, Suppl.2.81
Small area variation, Components of small area variation in death rates: a method applied to data from Sweden, **214**
Smokers, Which smokers are helped to give up smoking using the nicotine patch? **552** *abst*
Smoking
Effects of socioeconomic and psychological factors, smoking, alcohol, and caffeine on preterm birth, **549** *abst*
Influence of birth weight and maternal smoking during pregnancy on blood pressure in children, **544** *abst*
Passive smoking by self report and serum cotinine and the prevalence of respiratory and coronary heart disease in the Scottish heart health study, **139**
Smoking behaviour can be predicted by neighbourhood deprivation measures, Suppl.2.72
Smoking and health promotion in Nazi Germany: *correspondence*, **555**
Stress, social support, and stopping smoking after myocardial infarction in England, **583**
Smoking intervention strategies, Debating the efficacy of smoking intervention strategies: *correspondence*, **443**
Social class, Social class and preventive health behaviour: a British example, **28**
Social conditions, Whose deprivation? Suppl.2.80
Social deprivation, Children's vision screening: impact on inequalities in central England, **606**
Social mobility, Social mobility, health, and cardiovascular mortality, **552** *abst*
Social network, Social network and lifestyle in Danish adults, **327**
Social support
A measurement of social support in epidemiological research: the social experiences checklist tested in a general population in The Netherlands, **518**
Sickness absence in the Whitehall II study, London: the role of social support and material problems, **474**
Stress, social support, and stopping smoking after myocardial infarction in England, **583**
Sociodemographic factors
Low birth weight in Spain associated with sociodemographic factors, **38**
Size at birth and blood pressure and fasting glucose at age 50 – how important is confounding by sociodemographic and behavioural factors? **544** *abst*
Socioeconomic conditions, Socioeconomic conditions in the Po Delta prospective study on chronic obstructive pulmonary disease and the possible respiratory effects of low levels of air pollution, Suppl.2.78
Socioeconomic confounding
Controlling for socioeconomic confounding using regression methods, Suppl.2.15
Disease risk near point sources: statistical issues for analyses using individual or spatially aggregated data, Suppl.2.20
Standardisation approach to the control of socioeconomic confounding in small area studies of environment and health, Suppl.2.9
Socioeconomic differences, Sex and socioeconomic differences in medical care for ischaemic heart disease, **553** *abst*
Socioeconomic factors
Effects of socioeconomic and psychological factors, smoking, alcohol, and caffeine on preterm birth, **549** *abst*
Socioeconomic factors and injuries: *correspondence*, **331**
Socioeconomic factors and mortality in urban settings: the case of Barcelona, Spain, **460**
Venous ulcer healing: effect of socioeconomic factors in London, **385**
Socioeconomic inequalities
Cardiovascular risk factors in Australia: trends in socioeconomic inequalities, **363**
International variation in socioeconomic inequalities in self reported health, **117**

Socioeconomic status
Assessing equity in access to health care provision in the UK: does where you live affect your chances of getting a coronary artery bypass graft? **200**
Does socioeconomic status in childhood affect cardiovascular risk in adulthood? **544** *abst*
Socioeconomic variations, Socioeconomic variations in GP consultations among older people, **546** *abst*
Spain
Alcohol consumption and obesity in the adult population of Spain, **108**
Cervical cancer: incidence and survival in migrants within Spain, **153**
Influenza in Madrid, Spain, 1991–92: validity of the sentinel network, Suppl.1.14
Low birth weight in Spain associated with sociodemographic factors, **38**
Opiates or cocaine: mortality from acute reactions in six major Spanish cities, **54**
Socioeconomic factors and mortality in urban settings: the case of Barcelona, Spain, **460**
Stomach cancer mortality in Spain: a ecological analysis of diet, altitude, latitude, and income, **441**
Spatial aggregated data, Disease risk near point sources: statistical issues for analyses using individual or spatially aggregated data, Suppl.2.20
Special educational needs, Birth weight and special educational needs: effects of an increase in the survival of very low birthweight infants in London, **33**
Statistical issues, Disease risk near point sources: statistical issues for analyses using individual or spatially aggregated data, Suppl.2.20
Stomach cancer, Stomach cancer mortality in Spain: a ecological analysis of diet, altitude, latitude, and income, **441**
Stopping smoking, Stress, social support, and stopping smoking after myocardial infarction in England, **583**
Stress, Stress, social support, and stopping smoking after myocardial infarction in England, **583**
Stroke
Body fat and stroke: unmasking the hazards of overweight and obesity, **259**
Body mass index and cardiovascular mortality at different levels of blood pressure: a prospective study of Norwegian men and women, **265**
Measuring quality of life in patients with myocardial infarction or stroke: a feasibility study of four questionnaires in The Netherlands, **513**
Prospective study of serum homocysteine concentration and risk of stroke in middle aged British men, **553** *abst*
Stroke care in Europe – can we learn lessons from the different ways stroke is managed in different countries? **538** *abst*
Sudden infant death syndrome
Change in prevalence of risk factors for sudden infant death syndrome between 1991 and 1995, **540** *abst*
Preventing sudden infant deaths – a test of national public health systems, **540** *abst*
Sudden infant death syndrome in New Zealand: are risk scores useful, **94**
Suicide
Could GPs do more to prevent suicide? **551** *abst*
Suicide – an indicator of mental health or a symptom of deprivation? **551** *abst*
Suicide attempts, Medically treated suicide attempts: a four year monitoring study of the epidemiology in The Netherlands, **285**
Surgery, Surgery for glue ear: the English epidemic wanes, **234**
Surgical outpatients, Outpatients revisited: subjective views and clinical decisions in the management of general surgical outpatients in south west England, **599**
Survey response rates, Survey response rates: national and regional differences in a European multicentre study of vertebral osteoporosis, **87**
Switzerland, Measles, mumps, and rubella: monitoring in Switzerland through a sentinel network, 1986–94, Suppl.1.4
Syringes, Questioning the assumption that all injecting drug users share needles and syringes, **537** *abst*

T
Termination of pregnancy study, Importance of motivational factors in health technology assessment: termination of pregnancy study, **540** *abst*
Total hip replacement, Prevalence of total hip replacement: how much demand has been met? *correspondence*, **224**
Towns, Are towns in England and Wales less healthy? **541** *abst*
Townsend scores, Measuring disadvantage: changes in the underprivileged area, Townsend, and Carstairs scores 1981–91, Suppl.2.30
Toxaemia of pregnancy, Long term vascular sequelae of toxaemia of pregnancy, **545** *abst*
Treatment rates, International variation in intervention rates: what are the implications for patient selection? **548** *abst*
Trials, Randomised controlled trials of physical activity promotion in free living populations: *review article*, **448**
Trinidad and Tobago, Social inequalities in health status and care practices among patients with diabetes mellitus in Trinidad and Tobago, **536** *abst*
Tropospheric ozone, Tropospheric ozone: respiratory effects and Australian air quality goals, **401**
Tuberculosis, Tuberculosis among the homeless at a temporary shelter in London: report of a chest FxF ray screening programme, **629**

U
Underlying cause, Concurrence of monthly variations of mortality related to underlying cause in Europe, **373**
Underprivileged area, Measuring disadvantage: changes in the underprivileged area, Townsend, and Carstairs scores 1981–91, Suppl.2.30
Unemployment
Are young unemployed men at greater risk of future illness, even before they experience any unemployment? **552** *abst*
Perinatal mortality in a first generation immigrant population and its relation to unemployment in The Netherlands, **454**
Urban settings, Socioeconomic factors and mortality in urban settings: the case of Barcelona, Spain, **460**
Urgent admission, UK study of urgent admission to hospital: basis for a charter standard? **547** *abst*

V
Vaccination
Hepatitis B vaccination: the cost effectiveness of alternative strategies in England and Wales, **238**
Influenza mortality among the elderly in France, 1980–90: how many deaths may have been avoided through vaccination? **419**
Vascular sequelae, Long term vascular sequelae of toxaemia of pregnancy, **545** *abst*
Vegetarian diet, Emergency appendicectomy and meat consumption in the UK, **594**
Venous ulcer healing, Venous ulcer healing: effect of socioeconomic factors in London, **385**
Vertebral osteoporosis, Survey response rates: national and regional differences in a European multicentre study of vertebral osteoporosis, **87**
Very low birth weight, Birth weight and special educational needs: effects of an increase in the survival of very low birthweight infants in London, **33**
Vision, Children's vision screening: impact on inequalities in central England, **606**

W
Wales, Are towns in England and Wales less healthy? **541** *abst*
Ward level analysis, Is enumeration district level an improvement on ward level analysis in studies of deprivation and health?, Suppl.2.28
Water supplies, Alzheimer's disease and the relationship between silicon and aluminium in water supplies in northern England, **323**
Weight for height, Factors associated with weight for height and skinfold thickness in British children, **466**
Women, Childhood socioeconomic status and risk of cardiovascular disease in middle aged US women, **10**
Work characteristics, Work characteristics and psychiatric disorder in civil servants in London, **48**
Workplace health, Workplace health or worker health – health effects of the physical environment in offices, **550** *abst*

VOLUME 49 · AUTHOR INDEX

Key: (A) = Abstract: (C) = Correspondence: (E) = Editorial: (RA) = Review Article

Aase A, 271
Acquilla S, 150
Acquilla SD, 395, 536 (A)
Adamolekun B, 489
Adanja BJ, 107
Adshead F, 544 (A)
Airey M, 563 (RA)
Allan TM, 575
Allen EJ, 534 (A)
Anderson HR, 549 (A)
Angino A, Suppl.2.78
Anstiss T, 448 (RA)
Appleby P, 594
Arblaster L, 538 (A)
Arensman E, 285
Arias A, 460
Arias P, Suppl.1.14
Ariyanayagam-Baksh SM, 536 (A)
Armitage T, 547 (A)

Bajekal M, Suppl.2.30, 78
Baldacci S, Suppl.2.78
Barberger-Gateau P, 324
Barendregt JJ, 330 (C)
Barker J, 539 (A)
Barnett T, 495
Barrett J, 550 (A)
Barrio G, 54
Bartley MJ, 552 (A)
Barton A, 445 (E)
Beech R, 538 (A)
Beevers G, 259
Behrendt W, Suppl.1.17
Ben-Shlomo Y, 200
Bennett D, 537 (A)
Bennett S, 363
Bentham G, 440, Suppl.2.57
Bertell R, 536 (A)
Bhopal RS, 111 (C), 113 (E), 395, 445 (E), 534 (A)
Bickler G, 413
Bickram L, 536 (A)
Bithell JF, 437, Suppl.2.15
Black N, 234, 408, 548 (A), 553 (A)
Black RJ, Suppl.2.79
Blake M, Suppl.2.34
Bland JM, 549 (A)
Blane D, 552 (A), Suppl.2.78
Bocciolone L, 61
Bohnen AM, 231
Bojan F, 540 (A)
Bojovic BM, 107
Bolitschek J, 645
Bond LM, 525
Bond SAK, 79
Bonneux L, 277, 330 (C)
Borràs JM, 153
Borrell C, 460
Bosanquet N, 385
Boshuizen HC, 330 (C)
Botha JL, 570
Bound JP, 164
Bouvier P, 540 (A)
Boydell L, Suppl.1.22
Bradlow J, 534 (A)
Bradshaw C, 547 (A)
Brainard J, Suppl.2.57
Brainard JS, 440
Brand H, 540 (A), Suppl.1.26
Braunholtz D, 550 (A)
Brede HD, Suppl.1.9
Breeze E, 546 (A)
Brenner H, 426, 443 (C)
Breuer-Katschinski B, 224 (C)
Briggs J, 326
Broekhoff C, 22
Brown CA, 139
Brown J, 70
Bruijnzeels MA, 532
Brunner E, 545 (A)
Bryan S, 70
Budd J, 540 (A)
Burden AC, 570
Burn J, 305
Burney P, 543 (A)
Burton HS, 548 (A)
Burton PR, 617

Calder I, 401
Campbell MJ, 642
Carlin JB, 525
Carpenter LM, 551 (A)
Carr-Hill R, Suppl.2.28
Carr-Hill RA, Suppl.2.80
Carrat F, 419
Carrozzi L, Suppl.2.78
Carstairs V, Suppl.2.3
Cartwright R, Suppl.2.79
Casparie AF, 557 (E)
Chan R, 309
Charlton J, 541 (A), 551 (A)
Charlton ME, 305
Chaturvedi N, 200
Chew SK, 309
Chilvers CED, 344
Chinn S, 180, 466, 541 (A), 543 (A)
Citron KM, 629
Cloetta J, Suppl.1.4
Coast J, 194
Coggon D, 492
Colditz GA, 10
Cole TRP, 548 (A)
Coleman P, 535 (A)
Collins CD, 599
Connelly J, 550 (A)
Connelly PD, 537 (A)
Connolly M, 385
Cook DG, 535 (A), 544 (A), 546 (A)
Cooke DG, 552 (A)
Cooper C, 492
Coulter A, 534 (A)
Coupland CAC, 344
Cox DR, 551 (A)
Crombie DL, 373
Crombie I, 186
Cross KW, 373
Crowcroft NS, 549 (A)
Cryer PC, 546 (A)
Cullinan P, 536 (A)

Daly E, 389
Darby SC, 536 (A)
Darné B, 610
Dartigues JF, 324
Davey Smith G, 5, 541 (A), 552 (A), 555 (C)
Davies PM, Suppl.2.30
Day A, 79
de Haes JCJM, 518
de la Fuente L, 54
Dearwater SR, 331 (C)
Deckers JW, 513
Deeks JJ, 554 (A)
del Rey-Calero J, 108
DeMan SA, 299
Demoliates YD, 110 (C)
Dengler R, 344
Desideri M, Suppl.2.78
Deverill M, 538 (A), 547 (A)
Dewey CR, 550 (A)
Di Pede F, Suppl.2.78
Diener-West M, 189
Diffley FS, 33
Diggle P, Suppl.2.20
Ding J, 548 (A)
Dolan SA, Suppl.2.30
Dolin PJ, 536 (A)
Dolk H, Suppl.2.2, 9
Doll H, 534 (A)
Donaldson LJ, 305
Doraisingham S, 309
Douglas AS, 575
Dowell A, 227
Doyle Y, 43, 546 (A)
Draper E, 617
Draper GJ, 437, 548 (A)
du v Florey C, 549 (A)
Duisterhout JS, 231
Duncan C, 290
Duncan CJ, 245
Duncan SR, 245
Dunn CE, 395
Dunnigan MG, 575
Duran-Tauleria E, 466, 543 (A)
Durante A, 537 (A)
Durkin MS, 431
Dutton SJ, Suppl.2.15

Ebrahim S, 545 (A)
Ebrahim SB, 553 (A)
Eccles M, 538 (A), 547 (A)
Edwardson JA, 253, 323
Egea CM, 441
Egger P, 492
Eimermann J, Suppl.2.57
Eley J, 550 (A)
Elford J, 537 (A)
Elliott M, 503
Elliott P, Suppl.2.2, 9, 20, 72, 79
Emslie C, 550 (A)
Ende M, Suppl.1.17
Entwistle V, 538 (A)
Erdman RAM, 513
Esmail A, 540 (A), 543 (A)
European Vertebral Osteoporosis Study Group, 87
Evans BG, 33
Evans DB, 525
Evans N, 546 (A)
Ewart DW, 536 (A)

Fani Kyaode ATO, 546 (A)
Faulkner A, 599
Fedele L, 61
Feeney A, 124, 474
Fenton A, 617
Ferraroni M, 61
Ferry S, 545 (A), 553 (A)
Field D, 617
Finès P, 495
Finlayson AR, Suppl.2.79
Fitzgerald AP, 541 (A)
Fleming DM, 373
Fletcher A, 546 (A)
Flood A, 548 (A)
Foets M, 532
Folwell K, Suppl.2.51
Ford G, 546 (A)
Ford H, 563 (RA)
Ford RPK, 94
Forjuoh SN, 189, 331 (C)
Forster D, 150
Forster DP, 253, 323
Fowler GH, 552 (A)
Francis BJ, 164
Frankel S, 194, 599
Franks PJ, 385
Fulap N, 540 (A)
Fulop N, 539 (A)
Fulop NJ, 543 (A)

Gaizauskiene A, 281
Gale SH, 440
Gamsu HR, 33
Gath DH, 79
Gatrell AC, 326
Gay SP, 84
George S, 642
Geurts JJM, 117
Giangrande PLF, 536 (A)
Gillis C, 541 (A), 552 (A)
Gillis CR, 548 (A)
Gilman EA, 158
Gilthorpe MS, Suppl.2.45
Giuntini C, Suppl.2.78
Given-Wilson R, 535 (A)
Glickman ME, 548 (A)
Gliksman MD, 10
Glover G, 106
Goh KT, 309
Goldbohm RA, 65
Gordon D, Suppl.2.39
Goyder E, 570
Grandidier H, Suppl.1.22
Gray A, 539 (A)
Gray S, 194
Gray-Donald K, 495
Greenhalgh RM, 385
Greenwood DC, 583
Griffiths R, 538 (A)
Gritz K, Suppl.1.26
Grobbee DE, 299, 513
Grugel C, Suppl.1.17
Grundy C, Suppl.2.79
Guest C, 401
Gulliford MC, 536 (A)
Gunnell D, 335 (RA)
Gunning-Schepers L, 547 (A)
Gunning-Schepers LJ, 277
Gurevicius R, 281
Gutiérrez-Fisac JL, 38, 108
Guyer B, 189

Hall AJ, 238
Hallam N, 79
Hannaford P, 545 (A), 552 (A), 553 (A)
Harman A, 401
Harris JRW, 205
Hart AR, 84
Hart C, 541 (A), 552 (A)
Hart D, Suppl.2.30
Harvey I, 335 (RA)
Harvey PW, 164
Hasan KZ, 431
Hasan ZM, 431
Haste F, 551 (A)
Hawkins MM, 548 (A)
Hawkins NS, 550 (A)
Hawthorne V, 541 (A), 552 (A)
Haynes R, Suppl.2.57
Haynes RM, 440
Head J, 474
Hearnshaw JR, 570
Heijnen AMP, 22
Hemingway H, 542 (A), 553 (A)
Heng BH, 309
Hengeveld MW, 285
Hennekens CH, 10
Hey EN, 305
Hills M, Suppl.2.72
Hillsdon M, 448 (RA)
Hirsch S, 545 (A)
Hoes AW, 231
Hofman A, 299
Hole D, 541 (A), 552 (A)
Hole DJ, 548 (A)
Holland WW, 541 (A)
Holzinger B, 645
Hoopmann M, Suppl.1.33
Hort A, 540 (A)
Howie PW, 549 (A)
Hunt K, 534 (A), 546 (A), 550 (A)
Hunter D, 10
Hunter J, 413
Hurley SF, 525
Hynam KA, 84

Ibbotson T, 535 (A)
Inglis A, 84, 194
International Medical Commission on Bhopal, 536 (A)
Ison C, 205
Izquierdo A, 153

Jarebinski MS, 107
Jarman B, Suppl.2.30
Jenkins R, 551 (A)
Jenkinson C, 542 (A)
Jenkinson CM, 344
Joffe M, 314
Jones D, 540 (A)
Jones DA, 537 (A)
Jones K, 290
Jones L, 552 (A)
Jones S, Suppl.2.65
Joshi H, Suppl.2.78
Joung IMA, 482
Julious SA, 642

Kaldor JM, 525
Kammerling M, 194
Kapfhammer G, 645
Kaprio J, 296
Kardara M, 150
Katsouyiannopoulos VC, 110 (C)
Kawachi I, 10
Kay C, 552 (A)
Kay DWK, 253, 323
Kelleher C, 1 (E)
Kellerhof M, Suppl.1.26
Kelly AM, 548 (A)
Kelly M, 535 (A)
Kempley ST, 33
Kerkhof AJFM, 285
Keyl PM, 189
Kikuchi S, 180
Kinnier Wilson LM, 548 (A)
Kishchuk N, 495
Kleinschmidt I, Suppl.2.9, 72
Knoll A, Suppl.1.17
Knox EG, 158
Knox G, 439
Koffman JS, 543 (A)
Kohler L, 540 (A)
Koivusilta L, 131
Kokaua J, 647 (C)

Koskenvuo M, 296
Koudstaal PJ, 513
Koupilová I, 544 (A)
Kouri N, 331 (C)
Kromhout D, 518
Krüger O, 271
Kumar D, 629
Kunst AE, 117
Kunze M, 645

La Vecchia C, 379
Lambert M, 538 (A)
Lampron G, 503
Lancashire RJ, 171, 373
Lancaster T, 389, 552 (A)
Landon M, Suppl.2.79
Lang T, 610
Langham S, 408, 553 (A)
Langley JD, 570
Lau EMC, 492
Lawrence M, 389
Layte R, 542 (A)
Lechner H, 645
Leck I, 171
Leese J, 629
Leon DA, 5, 544 (A)
Lester CA, 537 (A)
Letenneur L, 324
Levi F, 379
Levin LS, 348
Lewallen DG, 224 (C)
Ley S, Suppl.1.9
Leyland AH, 554 (A)
Li Z, 314
Lithell H, 544 (A)
Lithell U-B, 544 (A)
Lloyd DC, 222
Lloyd OL, 16
Logan RFA, 224 (C)
Lovett A, Suppl.2.57
Lovett AA, 440
Lowe D, 33
Lucchini F, 379
Lumey LH, 454

McAteer C, Suppl.1.22
McCallum AK, 545 (A)
McCarthy C, 150
McColl E, 538 (A), 547 (A)
McCollum CN, 385
McEwan RT, 111 (C)
McEwen J, 535 (A)
Macintyre S, 534 (A), 535 (A), 550 (A)
McKee M, 539 (A), 540 (A)
McKeigue P, 544 (A)
Mackenbach JP, 333 (E), 482
McLoone P, 551 (A)
McMichael A, 401
Maconochie N, 551 (A)
McPherson K, 547 (A), 594
Madden P, 537 (A)
Madeley RJ, 583
Madhok R, 111 (C), 224 (C)
Magnus P, 588
Mahabir D, 536 (A)
Majeed FA, 535 (A), 546 (A)
Mammini U, Suppl.2.78
Mangtani P, 238
Mann J, 594
Mann JR, 548 (A)
Manson JE, 10
Mant D, 389
Marlow AK, 320
Marmot AF, 550 (A)
Marmot M, 124, 474, 542 (A), 545 (A), 553 (A)
Marmot MG, 48, 541 (A), 550 (A)
Marsden D, 87
Marsden HB, 548 (A)
Martin S, 634
Maryon-Davis A, 546 (A)
Masson P, 503
Mathers CD, 330 (C)
Mathus-Vliegen LMH, 22
Matter HC, Suppl.1.4
Matthis C, 87
Mayberry JF, 84
Melton LJ, 224 (C)
Mendall M, 545 (A)
Merkus MP, 22
Mertens B, Suppl.2.9
Middelkoop MJC, 231
Mills A, 536 (A)
Milne R, 539 (A)
Mitchell EA, 94
Modena P, Suppl.2.78
Moffatt CJ, 385
Mollison J, 540 (A)
Montgomery SM, 552 (A)
Moon G, 290
Moreno V, 153
Morgan K, 194
Morris J, 448 (RA)
Morris RW, 545 (A), 553 (A)
Muir KR, 344, 583
Mulder JD, 285
Murray RM, 106
Myles S, 535 (A)
Mynors-Wallis L, 79

Naidoo B, 547 (A)
Naji SA, 540 (A)
Nanchahal K, 553 (A)
Neary NM, Suppl.2.15
Nejjari C, 324
New Zealand National Cot Death Study Group, 94
Newell JN, 305
Newens AJ, 253, 323
Nguyen M, 542 (A), 550 (A)
Nicaud V, 610
Nicholl J, 535 (A)
Nicholl JP, 542 (A)
Nicholson A, 542 (A), 553 (A)
Noone A, 537 (A)
Normand CEM, 238
North F, 124
North FM, 48

O'Brien J, 599
O'Callaghan E, 106
O'Connell D, 492
O'Dea D, 647 (C)
Oldroyd MI, 385
O'Loughlin J, 495, 503
O'Neill TW, 87, 597
Openshaw S, Suppl.2.34
Ordobás MA, Suppl.1.14
Osler M, 327

Paci E, 559
Packham CJ, 583
Paoletti P, Suppl.2.78
Papacosta O, 544 (A)
Paradis G, 495, 503
Parazzini F, 61
Parkes SE, 548 (A)
Passchier J, 513
Patel NB, 549 (A)
Peacock JL, 549 (A)
Pedreschi M, Suppl.2.78
Pekkanen J, 144
Perenboom RJM, 330 (C)
Perry IJ, 553 (A)
Peters TJ, 28
Petridou E, 331 (C)
Petticrew M, 408, 553 (A)
Phillips S, 541 (A)
Picou DI, 536 (A)
Pill R, 28
Pisaniello D, 401
Pleumeekers HJCM, 231
Plowman R, 314
Pollock C, 227
Poloniecki J, 535 (A)
Porta M, 441
Potok MHN, 548 (A)
Powell JE, 548 (A)
Prins A, 231
Pritchett C, 547 (A)
Puska P, 144

Quek GH, 309
Quinn MJ, 534 (A)
Qureshi S, 541 (A)

Radmanovic SZ, 107
Rael EGS, 474
Rafferty C, Suppl.1.22
Raftery J, 539 (A)
Rasmussen F, 540 (A)
Raspe H, 87
Ratcliffe M, 538 (A)
Rawles JM, 575
Raymond NT, 570
Reeve J, 597
Refsum H, 553 (A)
Regidor E, 38
Reid DM, 597
Reijneveld SA, 454
Reilly P, Suppl.1.22
Renaud L, 495, 503
Renton A, 205
Revinthi K, 331 (C)
Riccardi A, 61
Rice N, Suppl.2.28
Richardson H, 538 (A)
Rigby AS, 550 (A), 563 (RA)
Rimpelä A, 131
Rimpelä M, 131
Rizza CR, 536 (A)
Roberts HR, 344
Roberts I, 186
Roberts JA, 539 (A)
Roberts R, 542 (A)
Robine J-M, 330 (C)
Robinson M, 550 (A), 563 (RA)
Robling MR, 28
Roca J, 54
Rodriguez B, 54
Rodriguez C, 38
Rodriguez-Artalejo F, 108
Rodriguez-Blas C, 108
Roland M, 225 (E)
Roman E, 551 (A)
Rona RJ, 180, 466, 541 (A), 543 (A)
Rosen M, 547 (A)
Royuela L, 54
Rubessa S, 61
Rueff B, 610
Ruffell A, 344
Ruiz G, 33
Rushton L, 344
Ruta D, 555 (C)

Sacks-Silver G, 503
Sagar G, 259
Saidi G, 413
Salamon R, 324
Saletu B, 645
Salje A, Suppl.1.17
Saltrese-Taylor A, 599
Sánchez J, 54
Sánchez V, 153
Schlaud M, Suppl.1.3, 17
Schmeiser-Rieder A, 645
Schwartz FW, Suppl.1.3, 17, 33
Scicchitano R, 401
Scott S, 245
Scragg R, 94
Scrivener G, 222
Seidler A, Suppl.1.17
Selmer R, 265
Sentinella Arbeitsgemeinschaft, Suppl.1.4
Shaddick G, Suppl.2.9
Sham PC, 106
Shaper AG, 544 (A), 553 (A)
Sharp L, Suppl.2.79
Sheldon T, 538 (A)
Sheldon TA, 543 (A), 554 (A), 634, Suppl.2.80
Shinton R, 259
Shipley M, 5, 124, 474, 541 (A)
Silman AJ, 87, 597
Singleton CD, 326
Sipetic SB, 107
Skalkidis Y, 331 (C)
Skrobal A, 645
Sloggett A, Suppl.2.78
Smith GS, 189
Smith L, 335 (RA)
Smith LK, 606
Smith P, 634
Söderland N, 539 (A)
Somerville SM, 541 (A)
Sommervaille L, 538 (A)
Song F, 543 (A)
Sowden AJ, 554 (A)
Speizer FE, 10
Spooner RJD, 536 (A)
Staines A, Suppl.2.79
Stampfer MJ, 10
Stansfeld SA, 48, 474
State Information System on Drug Abuse Working Group, 54
Steer K, 401
Stegmaier C, 426
Stevenson J, 150
Stewart AW, 94
Stewart-Brown S, 534 (A)
Stoltenberg C, 588
Stovall MA, 548 (A)
Strachan D, 5
Strachan DP, 549 (A)
Strobino DM, 189
Stronks K, 482
Surender R, 534 (A)
Surman G, 389
Sutton S, 413
Sweeting H, 534 (A)
Syme SL, 124
Szecsenyi J, Suppl.1.9

Takei N, 106
Tavendale R, 139
Taylor BJ, 94
Taylor GA, 323
Taylor S, 544 (A)
Tempelaar R, 518
Terho EO, 296
Tessier JF, 324
Thomas K, 535 (A)
Thompson JR, 606
Thomson R, 445 (E)
Thorogood M, 389, 448 (RA), 547 (A), 594
Thunhurst C, Suppl.2.80
Tijhuis MAR, 518
Tindall VR, 549 (A)
Todd C, 597
Tong D, 331 (C)
Trichopoulos D, 331 (C)
Trouerbach WTh, 299
Tunstall-Pedoe H, 139, 354
Tuomilehto J, 144
Turner J, 542 (A)
Tverdal A, 265

Ueland PM, 553 (A)
UK Haemophilia Centre Directors' Organisation, 536 (A)
Uphoff H, Suppl.1.9
Uutela A, 144

Vader J-P, 540 (A)
Vägerö D, 544 (A)
Valenti L, 492
Valkonen T, 144
Valleron A-J, 419
van de Mheen H, 482
van de Mheen PJ, 277
van de Water HPA, 330 (C)
van den Berg J, 117
van den Brandt PA, 65
van der Maas PJ, 330 (C)
van der Wouden JC, 532
van Gijn J, 513
van Loon AJM, 65
van Oostrom MA, 518
Van Weel C, Suppl.1.29
VandenBergh MFQ, 299
Varlow J, 597
Vartiainen E, 144
Vecchi P, 535 (A)
Vessey M, 314, 389
Vicente J, 54
Viegi G, Suppl.2.78
Viladiu P, 153
Villard L, 314
Vincent TJ, Suppl.2.15
Vineis P, 559
Vioque J, 441
Visser MC, 513
Vlajinac HD, 107

Wadsworth J, 205
Wadsworth MEJ, 552 (A)
Walker M, 544 (A), 545 (A)
Walls P, Suppl.2.9
WALPA Group, 610
Wannamethee G, 544 (A)
Warren R, 70
Warskyj M, 553 (A)
Warwick E, 550 (A)
Watson JM, 629
Watt G, 541 (A)
Watt GM, 548 (A)
Watt I, 538 (A)
Watt IS, 554 (A)
Weber J, Suppl.1.33
Weekes T, 227
Weerasuria M, 537 (A)
West RR, 537 (A), 547 (A)
Westerling R, 214
Westin S, 271
Wheadon M, 647 (C)
Whincup PH, 544 (A), 545 (A)
Whitaker L, 205
White I, 48
Wicks ACB, 84
Wilkinson P, Suppl.2.79
Willett WC, 10
Williams FLR, 549 (A)
Williams M, 599
Williams R, 563 (RA)
Williams SM, 94
Wilson AE, 227
Wilson V, 544 (A)
Winter DL, 548 (A)
Witteman JCM, 299
Wolfe C, 538 (A), 541 (A)
Wong SL, 16
Wong TW, 16
Woodhouse J, 395
Woodruff G, 606
Woodward A, 401
Woodward M, 139, 354
Woolf AD, 597
Wright MJ, 305
Wyke S, 535 (A), 546 (A)

Yu TS, 16
Yudkin P, 389
Yudkin PL, 552 (A)

Zdravkovic DS, 107
Zeitlhofer J, 645
Ziebland S, 102, 555 (C)
Ziegler H, 426
Zorrilla B, Suppl.1.14
Zwi AB, 536 (A)